

Bureau of Waste Prevention - Air Quality

# LPA-FUEL (BWP AQ 01)

A. Facility Information

#### Limited Plan Application for Fuel Utilization Emission Unit(s)

Transmittal Number

Facility ID (if known)

Use this form for the following units not subject to the Environmental Results Program (ERP) for boilers (found at 310 CMR 7.26(30)-(37) inclusive):

- Boilers firing Natural Gas and having a heat input capacity of at least 10,000,000 British Thermal Units per hour (Btu/hr) but less than 40,000,000 Btu/hr.
- Boilers firing Ultra Low Sulfur Distillate Fuel Oil and having a heat input capacity of at least 10,000,000 Btu/hr but less than 30,000,000 Btu/hr.

# Important: When filling out forms on the computer, use only the tab key to move your cursor do not use the return key.





	•				
1.	Facility Name				
2.	Street Address	N 4 A			
		MA	1		
3.	City	4.	State	5.	ZIP Code
6	Standard Industrial Classification (SIC) Code	7	North American Indust	ry Classification Sy	stem (NAICS) Code

8. List ALL existing Air Quality Plan Approvals, Emission Cap Notifications, and 310 CMR 7.26 Compliance Certifications and associated facility-wide emission caps, if any, for this facility in the table below. If you hold a Final Operating Permit for this facility, you may leave this table blank.

	Table 1							
Approval Number(s)/ 25% or 50% Rule/ 310 CMR 7.26 Certification	Transmittal Number(s) (if Applicable)	Air Contaminant (e.g. CO, CO2, NOx, SO2, VOC, HAP, PM or Other)*	Existing Facility-Wide Emission Cap(s) Per Consecutive 12-Month Time Period (Tons)					

<sup>\*</sup>CO = carbon monoxide,  $CO_2$  = carbon dioxide, NOx = nitrogen oxides,  $SO_2$  = sulfur dioxide, VOC = volatile organic compour HAP = hazardous air pollutant, PM = particulate matter, specify if "Other"

render-4 • 6/11 LPA-FUEL • Page 1 of 9



Bureau of Waste Prevention - Air Quality

# LPA-FUEL (BWP AQ 01)

#### Limited Plan Application for Fuel Utilization Emission Unit(s)

Transmittal Number	
Facility ID (if known)	

#### **B.** Equipment Description

Note that per 310 CMR 7.02, MassDEP can issue a Plan Approval only for proposed Emission Unit(s) with air contaminant emissions that are representative of Best Available Control Technology (BACT). See Section D: Best Available Control Technology (BACT) Emissions and the MassDEP BACT Guidance.

1.	Is this proposed project modifying previously approved equipment?	☐ Yes ☐ No
	If Yes, list pertinent Plan Approval(s):	
2.	Is this proposed project replacing previously approved equipment?	☐ Yes ☐ No
	If Yes, list pertinent Plan Approval(s):	
3.	Provide a description of the proposed project, including relevant parameter operating temperature and pressure) and associated air pollution controls	`

4. Complete the table(s) below to summarize the details of the proposed project.

Note: The following fuel options will, in part, enable your proposed project to comply with Best Available Control Technology (BACT):

- Solely Natural Gas when available as an uninterrupted supply.
- Solely Ultra Low Sulfur Distillate Fuel Oil (ULSD) with a maximum sulfur content of 0.0015% by weight when by tural Gas is unavailable.
- Natural Gas as a primary fuel, plus ULSD as a back-up fuel when the supply of Natural Gas may be interrupted.

	Table 2								
	Facility- Assigned Identifying Number for Proposed Equipment (Emission Unit No.)	Description of Proposed Equipment Including Manufacturer & Model Number or Equivalent (e.g. Acme Boiler, Model No. XY700)	Manufacturer's Maximum Heat Input Rating in Btu/hr		Proposed Back-Up Fuel (if Any)	Type of Burner (e.g., Low NOx, Ultra-Low NOx)	Is the Emission Unit equipped with flue gas recirculation? (If Yes, provide percent of recirculation)		
							☐ Yes ☐ No %		
I							☐ Yes ☐ No %		
							☐ Yes ☐ No %		
							☐ Yes ☐ No %		
							☐ Yes ☐ No %		
v							☐ Yes ☐ No %		
,							☐ Yes ☐ No %		
							☐ Yes ☐ No %		

render-4 • 6/11 LPA-FUEL • Page 2 of 9



Bureau of Waste Prevention – Air Quality

# LPA-FUEL (BWP AQ 01)

#### Limited Plan Application for Fuel Utilization Emission Unit(s)

Transmittal Number	
Facility ID (if known)	

#### C. Stack Description

Complete the table below to summarize the details of the proposed project's stack configuration.

Note: Discharge Table 3 must meet Good Air Pollution Control Engineering Practice. **Exhaust Exhaust Gas** When designing Stack Exit Gas Exit stacks, special Stack Height Stack Height **Exit Velocity Emission** Diameter or Stack Liner **Temperature** consideration must Above Ground **Above Roof** Range Unit No. **Dimensions** Material Range be given to nearby (Feet) (Feet) (Feet per (Feet) (Degrees structures and terrain Second) Fahrenheit) to prevent emissions downwash and adverse impacts upon sensitive receptors. Stack must be vertical, must not impede vertical exhaust gas flow, and must be a minimum of 10 feet above rooftop or fresh air intake, whichever is higher. For additional guidance, refer to the MassDEP "Stack Design General Guidelines."

Continue to Next Page ▶

render-4 • 6/11 LPA-FUEL • Page 3 of 9



Bureau of Waste Prevention - Air Quality

# LPA-FUEL (BWP AQ 01)

Limited Plan Application for Fuel Utilization Emission Unit(s)

	i ransmittai Number
Facility ID (if known)	Facility ID (if known)

#### D. Best Available Control Technology (BACT) Emissions

Complete the table(s) below to summarize the proposed project's BACT emissions.

Note: Complete a separate table for each proposed fuel to be used in each Emission Unit. For example, if one Emission Unit will be cable of burning two fuels, you will need to complete two tables.

Emission Unit No. & Fuel Used	Air Contaminant	BACT Emission Limitation in Pounds per Million Btu <sup>5</sup>	Potential Consecutive 12-Month Time Period Emissions at Manufacturer's Maximum Capacity (Uncontrolled Tons)	Proposed Consecutive 12-Month Time Period Emissions Restriction (Tons) <sup>6</sup>	Proposed Monthly Emissions Restriction (Tons) <sup>6</sup>	Proposed Fuel Usage Limit (if Any) <sup>6</sup>
Unit No.	PM <sup>1</sup>					
	NO <sub>x</sub> <sup>2</sup>					
Fuel Used:	СО					
	VOC					
	SO <sub>2</sub>					
	HAPs <sup>3</sup>					
	CO <sub>2</sub> <sup>4</sup>					

<sup>&</sup>lt;sup>1</sup>PM includes particulate matter having a diameter of 10 microns or less (PM<sub>10</sub>) and particulate matter having a diameter of 2.5 microns or less (PM<sub>2.5</sub>).

Continue to Next Page ▶

render-4 • 6/11 LPA-FUEL • Page 4 of 9

<sup>&</sup>lt;sup>2</sup> NOx emissions from this proposed project need to be included for the purposes of NOx emissions tracking for 310 CMR 7.00: Appendix A, if applicable.

<sup>&</sup>lt;sup>3</sup>Operating Permit facilities are required to track emissions of Hazardous Air Pollutants.

<sup>&</sup>lt;sup>4</sup>Pounds of CO<sub>2</sub> per unit product (e.g. pounds CO<sub>2</sub> per megawatt, pounds CO<sub>2</sub> per 1,000 pounds of steam).

<sup>&</sup>lt;sup>5</sup>Top-Case BACT emission limitations in pounds per million British Thermal Units (BTUs) can be no less stringent than those contained in the applicable sections of 310 CMR 7.26.

<sup>&</sup>lt;sup>6</sup>Enter "N/A" if not requesting emissions restrictions and/or fuel usage limit.



# **Massachusetts Department of Environmental Protection** Bureau of Waste Prevention – Air Quality

Transmittal Number

# LPA-FUEL (BWP AQ 01)

Limited Plan Application for Fuel Utilization Emission Unit(s)

Facility ID (if known)

#### D. Best Available Control Technology (BACT) Emissions (continued)

	Table 4B						
Emission Unit No. & Fuel Used	Air Contaminant	BACT Emission Limitation in Pounds per Million Btu <sup>5</sup>	Potential Consecutive 12-Month Time Period Emissions at Manufacturer's Maximum Capacity (Uncontrolled Tons)	Proposed Consecutive 12-Month Time Period Emissions Restriction (Tons) <sup>6</sup>	Proposed Monthly Emissions Restriction (Tons) <sup>6</sup>	Proposed Fuel Usage Limit (if Any) <sup>6</sup>	
Unit No.	PM <sup>1</sup>						
	NO <sub>x</sub> <sup>2</sup>						
Fuel Used:	СО						
	VOC						
	SO <sub>2</sub>						
	HAPs <sup>3</sup>						
	CO2 <sup>4</sup>						

Note: If you are proposing more than three combinations of Emission Unit(s) and Fuel(s), complete additional copies of these tables.

	Table 4C							
Emission Unit No. & Fuel Used	Air Contaminant	BACT Emission Limitation in Pounds per Million Btu <sup>5</sup>	Potential Consecutive 12-Month Time Period Emissions at Manufacturer's Maximum Capacity (Uncontrolled Tons)	Proposed Consecutive 12-Month Time Period Emissions Restriction (Tons) <sup>6</sup>	Proposed Monthly Emissions Restriction (Tons) <sup>6</sup>	Proposed Fuel Usage Limit (if Any) <sup>6</sup>		
Unit No.	PM <sup>1</sup>							
	NO <sub>x</sub> <sup>2</sup>							
Fuel Used:	СО							
	VOC							
	SO <sub>2</sub>							
	HAPs <sup>3</sup>							
	CO2 <sup>4</sup>							

render-4 • 6/11 LPA-FUEL • Page 5 of 9



Bureau of Waste Prevention - Air Quality

# LPA-FUEL (BWP AQ 01)

#### Limited Plan Application for Fuel Utilization Emission Unit(s)

Transmittal Number
Facility ID (if known)

#### **E. Monitoring Procedures**

Complete the table below to summarize the details of the proposed project's monitoring procedures.

Table 5								
Emission Unit No.	Type or Method of Monitoring (e.g. Fuel Flow, O2)	Parameter /Emission Monitored	Frequency of Monitoring					

#### F. Record Keeping Procedures

Complete the table below to summarize the details of the proposed project's record keeping procedures. Proposed record keeping procedures need to be able to demonstrate your compliance status with regard to all limitations/restrictions proposed herein. Record keeping may include, but is not limited to, hourly or daily logs, meter charts, time logs and fuel purchase receipts.

Table 6			
Emission Unit No.	Parameter (e.g. Fuel)	Record Keeping Procedures (e.g. Data Logger or Manual)	Frequency of Data Record (e.g. Hourly, Daily)

Examples of emissions calculations for record keeping purposes:

NOx:  $\{(0.035 \text{ pounds}/10^6 \text{ Btu})^*(\mathbf{X} \text{ cubic feet})^*(1000 \text{ Btu/cubic feet}) + (0.15 \text{ pounds}/10^6 \text{ Btu})^*(\mathbf{Y} \text{ gallons of fuel oil})^*(130,000 \text{ Btu/gal})\}^* 1 \text{ ton}/2000 \text{ pounds} = \text{NOx in tons per consecutive twelve month time period}$ 

CO:  $\{(0.08 \text{ pounds}/10^6 \text{ Btu})^*(\mathbf{X} \text{ cubic feet})^*(1000 \text{ Btu/cubic feet}) + (0.08 \text{ pounds}/10^6 \text{ Btu})^*(\mathbf{Y} \text{ gallons of fuel oil})^*(130,000 \text{ Btu/gal})^*1 \text{ ton/2000pounds} = CO \text{ in tons per consecutive twelve month time period}$ 

VOC:  $\{(0.03 \text{ pounds}/10^6 \text{ Btu})^*(\mathbf{X} \text{ cubic feet})^*(1000 \text{ Btu/cubic feet}) + (0.03 \text{ pounds}/10^6 \text{ Btu})^*(\mathbf{Y} \text{ gallons of fuel oil})^*(130,000 \text{ Btu/gal})^*1 \text{ ton/2000 pounds} = VOC in tons per consecutive twelve month time period$ 

SO<sub>2</sub>:  $\{(0.0015 \text{ pounds}/10^6 \text{ Btu})^*(Y \text{ gallons of fuel oil})^*(130,000 \text{ Btu per gallon})\}^*1 \text{ ton}/2000 \text{ pounds} = SO<sub>2</sub> in tons per consecutive twelve month time period$ 

Note: X = cubic feet of natural gas burned and Y = gallons of ULSD oil burned (per consecutive twelve-month time period)

**Note:** These numbers cannot exceed the emissions restrictions proposed in Tables 4a, 4b, 4c above.



# **Massachusetts Department of Environmental Protection** Bureau of Waste Prevention – Air Quality

LPA-FUEL (BWP AQ 01)
Limited Plan Application for Fuel Utilization Emission Unit(s)

Transmittal Number	
Facility ID (if known)	

#### **G.** Additional Information Checklist

	Attach a specific facility description and the following required additional information that MassDEP needs to process your application. Check the box next to each item to ensure that your application is complete.			
		Plot Plan		
		Combustion Equipment Manufacturer Specifications, Including but not Limited to Emissions Data		
		Combustion Equipment Standard Operating Procedures		
		Combustion Equipment Standard Maintenance Procedures, Including Cleaning Method & Frequency		
		Calculations to Support This Plan Application		
		BWP AQ BACT Form, if not proposing Top-Case BACT		
		Air quality dispersion modeling de Standards (NAAQS) are not exceed	emonstration documenting that Nation eded.	nal Ambient Air Quality
Н.	Other Re	gulatory Considerations		
	Indicate below whether the proposed project is subject to any additional regulatory requirements.			
	310 CMR 7.00: Appendix A Nonattainment Review, or is netting used to avoid review ☐ Yes ☐ No under 310 CMR 7.00 Appendix A or 40 CFR 52.21?			w ☐ Yes ☐ No
	40 CFR 60: New Source Performance Standards (NSPS)?		☐ Yes ☐ No	
	If Yes:	Which subpart?	Applicable emission limitation(s):	
	40 CFR 61:	National Emission Standards for H	lazardous Air Pollutants (NESHAPS)	☐ Yes ☐ No
	If Yes:	Which subpart?	Applicable emission limitation(s):	
	40 CFR 63: NESHAPS for Source Categories – Maximum Achievable (MACT) or			☐ Yes ☐ No
	If Yes:	Which subpart?	Applicable emission limitation(s):	
	301 CMR 1	1.00: Massachusetts Environmenta	al Policy Act (MEPA)?	☐ Yes ☐ No
	If Yes:	EOEA No.:		
	Other Applic	cable Requirements?		☐ Yes ☐ No
	If Yes:	Specify:		
	Facility-Wid	e Potential-to-Emit Hazardous Air F	Pollutants (HAPS):	or* 🗌 Non-Major

<sup>\*</sup>A Major source has a facility-wide potential-to-emit of 25 tons per year or more of the sum of all hazardous air pollutants or 10 tons per year or more of any individual hazardous air pollutant.



Bureau of Waste Prevention - Air Quality

# LPA-FUEL (BWP AQ 01)

#### Limited Plan Application for Fuel Utilization Emission Unit(s)

Transmittal Number
Facility ID (if known)

#### I. Certification by Responsible Official

The signature below provides the affirmative demonstration pursuant to 310 CMR 7.02(4)(d)5 that any facility(ies) in Massachusetts, owned or operated by the proponent for this project (or by an entity controlling, controlled by or under common control with such proponent) that is subject to 310 CMR 7.00, et seq., is in compliance with, or on a MassDEP approved compliance schedule to meet, all provisions of 310 CMR 7.00, et seq., and any plan approval, order, notice of noncompliance or permit issued thereunder. This Form must be signed by a Responsible Official working at the location of the proposed new or modified facility. Even if an agent has been designated to fill out this Form, the Responsible Official must sign it. (Refer to the definition given in 310 CMR 7.00.)

I certify that I have personally examined the foregoing and am familiar with the information contained in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including possible fines and imprisonment.

Responsible Official Name (Type or Print)	
Responsible Official Signature	This Space Reserved for
Responsible Official Title	MassDEP Approval Stamp.
Responsible Official Company/Organization Name	
Date (MM/DD/YYYY)	

Continue to Energy Efficiency Evaluation Survey ▶

render-4 • 6/11 LPA-FUEL • Page 8 of 9



J.

#### **Massachusetts Department of Environmental Protection**

Bureau of Waste Prevention – Air Quality

### LPA-FUEL (BWP AQ 01)

#### Limited Plan Application for Fuel Utilization Emission Unit(s)

Facility ID	(if known)

Transmittal Number

Energy Efficiency Evaluation Survey		
1.	Do you know where your electricity and/or fuel and/or water and/or heat and/or compressed air is being used/consumed?	☐ Yes ☐ No
2.	Has your facility had an energy audit performed by your utility supplier (or other) in the past two years? <sup>1</sup>	☐ Yes ☐ No
	<ul> <li>Did the audit include evaluations for heat loss, lighting load, cooling requirements and compressor usage?</li> </ul>	☐ Yes ☐ No
	b. Did the audit influence how this project is configured?	☐ Yes ☐ No
3.	Does your facility have an energy management plan?	☐ Yes ☐ No
	a. Have you identified and prioritized energy conservation opportunities?	☐ Yes ☐ No
	b. Have you identified opportunities to improve operating and maintenance procedures by employing an energy management plan?	☐ Yes ☐ No
4.	Has each emission unit proposed herein been evaluated for energy consumption including average and peak electrical use; efficiency of electric motors and suitability of alternative motors such as variable speed; added heat load and/or added cooling load as a result of the operation of the proposed process; added energy load due to building air exchange requirements as a result of exhausting heat or emissions to the ambient air; and/or use of compressors?	☐ Yes ☐ No
5.	Has your facility considered alternative energy methods such as solar, geothermal or wind power as a means of supplementing all or some of the facility's energy demand?	☐ Yes ☐ No
6.	Does your facility comply with Leadership in Energy & Environmental Design (LEED) Green Building Rating System design recommendations? <sup>2</sup>	☐ Yes ☐ No
<sup>1</sup> A f	acility wide energy audit would include an inspection of such things as lighting, air-conditioning	g, heating, compressors

<sup>1</sup>A facility wide energy audit would include an inspection of such things as lighting, air-conditioning, heating, compressors and other energy-demand equipment. It would also provide you with information on qualifying equipment rebates and incentive programs; analysis of your energy consumption patterns and written cost-savings recommendations and estimated cost savings for installing new, high-efficiency equipment.

<sup>2</sup>To understand the LEED Rating System, it is important to become familiar with its comprising facets. To be considered for LEED New Construction and Major Renovations, a building must meet specific prerequisites and additional credit areas within six categories:

- Sustainable Sites
- Materials and Resources
- Water Efficiency

- Indoor Environmental Quality
- Energy and Atmosphere
- Innovation and Design